

IN THE CLAIMS

1. (currently amended) A method of treating a mammal to promote wound healing in said mammal in need thereof, comprising orally administering to said mammal an effective amount of a concentrated protein composition comprising about 5 to about 75 parts by weight of enzymatically hydrolyzed gelatin, about 0.02 to about 2.0 parts by weight of tryptophan, about 0.1 to about 2 parts by weight of a sweetener, and about 5 to about 100 parts by weight of an ingestible carrier, said composition comprising the following amino acids, in grams per hundred grams of protein, each numerical value understood to be preceded by the word about:

Amino Acid	g/100g Protein
L-Alanine	8.60
L-Arginine	7.90
L-Aspartic Acid	5.90
L-Cystine	0.07
L-Glutamic Acid	9.90
Glycine	23.10
L-Histidine	0.73
Hydroxylysine	1.00
L-Hydroxyproline	6.60
L-Isoleucine	1.30
L-Leucine	3.00
L-Lysine	4.30
L-Methionine	0.73
L-Phenylalanine	2.30
L-Proline	15.20
L-Serine	6.60
L-Threonine	2.00
L-Tryptophan	0.40
L-Tyrosine	0.70
L-Valine	2.40

~~essential amino acids required by said mammal.~~

2.-31. (canceled)

32. (withdrawn) A method of treating a mammal with a high protein concentration nutritional supplement and without excess fluids, comprising orally administering to the mammal an effective amount of a concentrated protein composition comprising about 5 to

about 75 parts by weight of enzymatically hydrolyzed gelatin, about 0.02 to about 2.0 parts by weight of tryptophan, about 0.1 to about 2 parts by weight of a sweetener, and about 5 to about 100 parts by weight of an ingestible carrier, the composition comprising the essential amino acids required by the mammal, and wherein the total fluid amount administered is about 15 mL to about 60 mL, such that the treatment does not unduly burden the mammal with excess fluids.

33. (withdrawn) The method of claim 32 wherein said composition comprises the following amino acids, in grams per hundred grams of protein, each numerical value understood to be preceded by the word about:

Amino Acid	g/100g Protein
L-Alanine	8.60
L-Arginine	7.90
L-Aspartic Acid	5.90
L-Cystine	0.07
L-Glutamic Acid	9.90
Glycine	23.10
L-Histidine	0.73
Hydroxylysine	1.00
L-Hydroxyproline	6.60
L-Isoleucine	1.30
L-Leucine	3.00
L-Lysine	4.30
L-Methionine	0.73
L-Phenylalanine	2.30
L-Proline	15.20
L-Serine	6.60
L-Threonine	2.00
L-Tryptophan	0.40
L-Tyrosine	0.70
L-Valine	2.40

34. (withdrawn) The method of claim 32 wherein said hydrolyzed gelatin is a product resulting from the proteolytic enzymatic hydrolysis of gelatin derived from animal collagen, wherein said animal collagen is derived from the skin of one or more animals selected from the group consisting of the pig, bovine, ox, cow, calf, bull, sheep, goat, antelope and buffalo.

35. (withdrawn) The method of claim 34 wherein said hydrolysis is accomplished with a protease selected from the group consisting of animal and bacterial serine protease, plant cysteine protease, animal and fungal aspartic protease, animal and bacterial metallo protease, an enzyme selected from the group consisting of bromelain, papain, chymopapain, ficin, pepsin, chymosin and trypsin, and mixtures thereof.

36. (withdrawn) The method of claim 32 wherein the composition is in liquid form and wherein the carrier is water in a proportion of about 15 to about 80 parts by weight, said composition additionally comprising, in parts by weight, about 0.3 to about 10 parts of a palatable acid, about 7 to about 25 parts of sorbitol (70 wt.%), about 0.1 to about 3 parts of a preservative, and about 0 to about 0.4 parts of a flavoring agent.

37. (withdrawn) The method of claim 32 wherein said sweetener is a natural sweetener, an artificial sweetener or mixtures thereof.

38. (withdrawn) The method of claim 37 wherein said artificial sweetener is selected from the group consisting of acesulfame potassium, aspartame, neotame, saccharin, sucralose, alitame, cyclamate and mixtures thereof, and said natural sweetener is selected from the group consisting of tagatose, trehalose, a dihydrochalcone, clycyrrhizin, stevioside, thaumatin, erythritol, hydrogenated starch hydrolysates, isomalt, lactitol, maltitol, mannitol, sorbitol, xylitol and mixtures thereof.

39. (withdrawn) The method of claim 32 wherein the composition includes about 10 to about 30 grams of all essential and non-essential amino acids.

40. (withdrawn) The method of claim 32 wherein the amount ingested is about 30 mL and is sufficient to provide about 15 grams of protein and from about 64 to about 101 calories and said amount

is ingested by mouth or administered by gastrointestinal feeding tube at a frequency of two, three or four times per day.

41. (withdrawn) A method of treating an individual exhibiting hypoalbuminemia with a high protein concentration nutritional supplement and without excess fluids, comprising orally administering to the mammal an effective amount of a concentrated protein composition comprising about 5 to about 75 parts by weight of enzymatically hydrolyzed gelatin, about 0.02 to about 2.0 parts by weight of tryptophan, about 0.1 to about 2 parts by weight of a sweetener, and about 5 to about 100 parts by weight of an ingestible carrier, the composition comprising the essential amino acids required by the mammal, and wherein the total fluid amount administered is about 15 mL to about 60 mL, such that the treatment does not unduly burden the mammal with excess fluids.

42. (withdrawn) The method of claim 41 wherein said composition comprises the following amino acids, in grams per hundred grams of protein, each numerical value understood to be preceded by the word about:

Amino Acid	g/100g Protein
L-Alanine	8.60
L-Arginine	7.90
L-Aspartic Acid	5.90
L-Cystine	0.07
L-Glutamic Acid	9.90
Glycine	23.10
L-Histidine	0.73
Hydroxylysine	1.00
L-Hydroxyproline	6.60
L-Isoleucine	1.30
L-Leucine	3.00
L-Lysine	4.30
L-Methionine	0.73
L-Phenylalanine	2.30
L-Proline	15.20
L-Serine	6.60
L-Threonine	2.00
L-Tryptophan	0.40
L-Tyrosine	0.70
L-Valine	2.40

43. (withdrawn) The method of claim 41 wherein said hydrolyzed gelatin is a product resulting from the proteolytic enzymatic hydrolysis of gelatin derived from animal collagen, wherein said animal collagen is derived from the skin of one or more animals selected from the group consisting of the pig, bovine, ox, cow, calf, bull, sheep, goat, antelope and buffalo.

44. (withdrawn) The method of claim 43 wherein said hydrolysis is accomplished with a protease selected from the group consisting of animal and bacterial serine protease, plant cysteine protease, animal and fungal aspartic protease, animal and bacterial metallo protease, an enzyme is selected from the group consisting of bromelin, papain, chymopapain, ficin, pepsin, chymosin and trypsin and mixtures thereof.

45. (withdrawn) The method of claim 41 wherein the composition is in liquid form and wherein the carrier is water in a proportion of about 15 to about 80 parts by weight, said composition additionally comprising, in parts by weight, about 0.3

to about 10 parts of a palatable acid, about 7 to about 25 parts of sorbitol (70 wt.%), about 0.1 to about 3 parts of a preservative, and about 0 to about 0.4 parts of a flavoring agent.

46. (withdrawn) The method of claim 41 wherein said sweetener is a natural sweetener, an artificial sweetener or mixtures thereof.

47. (withdrawn) The method of claim 46 wherein said artificial sweetener is selected from the group consisting of acesulfame potassium, aspartame, neotame, saccharin, sucralose, alitame, cyclamate and mixtures thereof, and said natural sweetener is selected from the group consisting of tagatose, trehalose, a dihydrochalcone, clycyrrhizin, stevioside, thaumatin, erythritol, hydrogenated starch hydrolsates, isomalt, lactitol, maltitol, mannitol, sorbitol, xylitol and mixtures thereof.

48. (withdrawn) The method of claim 41 wherein the composition includes about 10 to about 30 grams of all essential and non-essential amino acids.

49. (withdrawn) The method of claim 41 wherein the amount ingested is about 30 mL and is sufficient to provide about 15 grams of protein and from about 64 to about 101 calories.

50. (withdrawn) The method of claim 32 wherein the amount administered is sufficient to cause the mammal to exhibit a positive nitrogen balance.

51. (withdrawn) The method of claim 39 wherein the amount administered is sufficient to cause the mammal to exhibit a positive nitrogen balance.

52. (withdrawn) The method of claim 32, wherein the mammal is a person and the method results in improved compliance by the person with the treatment method.

53. (withdrawn) The method of claim 36, wherein the mammal is a person and the method results in improved compliance by the person with the treatment method.

54. (withdrawn) A method of inducing compliance by a person with a treatment requiring ingestion of a high protein nutritional supplement, comprising providing to the person for oral administration a concentrated protein nutritional supplement without excess fluids, the supplement comprising an effective amount of a concentrated protein composition comprising about 5 to about 75 parts by weight of enzymatically hydrolyzed gelatin, about 0.02 to about 2.0 parts by weight of tryptophan, about 0.1 to about 2 parts by weight of a sweetener, and about 5 to about 100 parts by weight of an ingestible carrier, the composition comprising the essential amino acids required by the person, and wherein the total fluid amount administered is about 15 mL to about 60 mL, such that the treatment does not unduly burden the person with excess fluids.

55. (withdrawn) The method of claim 54 wherein the composition is in liquid form and wherein the carrier is water in a proportion of about 15 to about 80 parts by weight, said composition additionally comprising, in parts by weight, about 0.3 to about 10 parts of a palatable acid, about 7 to about 25 parts of sorbitol (70 wt.%), about 0.1 to about 3 parts of a preservative, and about 0 to about 0.4 parts of a flavoring agent.

56. (withdrawn) The method of claim 54 wherein said sweetener is a natural sweetener, an artificial sweetener or mixtures thereof.

57. (withdrawn) The method of claim 56 wherein said artificial sweetener is selected from the group consisting of acesulfame potassium, aspartame, neotame, saccharin, sucralose, alitame, cyclamate and mixtures thereof, and said natural sweetener is selected from the group consisting of tagatose, trehalose, a dihydrochalcone, clycyrrhizin, stevioside, thaumatin, erythritol,

hydrogenated starch hydolysates, isomalt, lactitol, maltitol, mannitol, sorbitol, xylitol and mixtures thereof.

58. (withdrawn) The method of claim 54 wherein the composition includes about 10 to about 30 grams of all essential and non-essential amino acids.